



Environmental Impact Assessment (EIA) Report for the Liquefied Natural Gas Project in Cabo Delgado

FINAL EIA REPORT- VOLUME I

Project ref: 0133576

February 2014



ERRATA

Document Title:	Environmental Impact Assessment (EIA) Report for the Liquefied Natural Gas Project in Cabo Delgado	Volume No:	FINAL EIA REPORT- VOLUME I & II
		Document Date:	February 2014
Project Ref:	0133576	Revision Date:	September 2014

Sections / Chapters	Version	Change Description
<i>Abbreviations/ Units</i>	Portuguese	The unit “mg/l ⁻¹ ” was replaced by “mg/l or mg.l ⁻¹ ” to represent milligrams per litre.
<i>Acronyms Chapter 9 Chapter 13</i>	Portuguese	The Acronym “ASA” used to denote Environmental Health Area (Área de Saúde Ambiental) has been changed to EHA.
<i>Acronyms Chapter 9 Chapter 13</i>	Portuguese	The acronym “TS” used to denote “sex workers” (Trabalhadoras de Sexo) has been removed.
<i>Acronyms</i>	Portuguese	A Portuguese translation for the following acronyms has been included: <ul style="list-style-type: none"> • EGPAF • FH • GDACE • HYCOM
<i>Acronyms</i>	Portuguese	Where an English acronym is used, the English definition has been provided in addition to the Portuguese definition.
<i>Acronyms</i>	Portuguese and English	The definition for the acronym “DWAF” now states: “South African Department of Water Affairs and Forestry”.
<i>Acronyms Chapter 2</i>	Portuguese and English	The acronym “Mdp” to denote “Ministry of Fisheries” has been replaced with “MPescas”.
<i>Acronyms</i>	Portuguese	The word “manganésio” used to explain the chemical symbol “Mn” has been replaced with “manganês”.
<i>Acronyms</i>	Portuguese	The term “non-aqueous based mud” used to explain WMB, has been replaced by “water based mud”.
<i>Acronyms</i>	Portuguese	The acronyms LBA and LBS were deleted as the EIA Report uses WBM and SBM (for water based muds and synthetic based muds respectively) and not LBA and LBS.
<i>Chapter 3</i>	Portuguese	In <i>Table 3.4</i> , the date the EIA Report was submitted to MICOA has been corrected to state 2014, not 2013.

Environmental Impact Assessment (EIA) Report for the Liquefied Natural Gas Project in Cabo Delgado

FINAL EIA REPORT


February 2014

Project Ref: 0133576

Prepared by: ERM and Impacto

For and on behalf of ERM and Impacto

Approved by: Andrew Bradbury

Signed: 

Position: Partner

Date: 24 February 2014

This report has been prepared by Environmental Resources Management the trading name of Environmental Resources Management Southern Africa (Pty) Limited, with all reasonable skill, care and diligence within the terms of the Contract with the client, incorporating our General Terms and Conditions of Business and taking account of the resources devoted to it by agreement with the client.

We disclaim any responsibility to the client and others in respect of any matters outside the scope of the above.

This report is confidential to the client and we accept no responsibility of whatsoever nature to third parties to whom this report, or any part thereof, is made known. Any such party relies on the report at their own risk.

This proposal is provided solely for the purposes set out in it and may not, in whole or in part, be used for any other purpose without ERM's prior written consent. This proposal may not, in whole or in part, be reproduced without ERM's prior written consent.

EIA Report - Contents

Volume I - Introduction, Project Description and Baseline

Non-Technical Summary (NTS)

Abbreviations/Units, Acronyms and Glossary

1. Introduction.
2. Regulatory Framework.
3. The EIA Process, Approach and Methodology.
4. Project Description.
5. Consideration of Alternatives.
6. Baseline- Introduction and Geographical Context.
7. Environmental Baseline - Offshore and Near Shore.
8. Environmental Baseline - Onshore.
9. Socio-economic and Community Health Baseline.

Volume II - Impact Assessment, Management, Implementation and Conclusions

10. Introduction to Impact Assessment and Mitigation.
11. Offshore and Near Shore Environmental Impact Assessment and Mitigation.
12. Onshore Environmental Impact Assessment and Mitigation.
13. Socio-economic Impact Assessment and Mitigation.
14. Unplanned Events.
15. Cumulative Impacts.
16. Impact Assessment Summary.
17. Environmental and Social Management System and Environmental and Social Management Plan.
18. Conclusion.
19. References.

Volume III - Annexes

- A Public Participation Report.
- B MICOA Approval of EPDA and ToR.
- C Baseline Methodologies.
- D Tabulated ESMP.
- E Waste Management Plan.
- F Decommissioning and Rehabilitation Plan.
- G Baseline Support Material.
- H Emergency Response Plan.
- I Initial Resettlement Plan.

Volume I – Introduction, Project Description and Baseline

Non-Technical Summary (NTS)

Abbreviations/Units, Acronyms and Glossary

1. Introduction.
2. Regulatory Framework.
3. The EIA Process, Approach and Methodology.
4. Project Description.
5. Consideration of Alternatives.
6. Baseline- Introduction and Geographical Context.
7. Environmental Baseline - Offshore and Near Shore.
8. Environmental Baseline – Onshore.
9. Socio-economic and Community Health Baseline.

CONTENTS- VOLUME I

NON TECHNICAL SUMMARY (NTS)

ABBREVIATIONS/ UNITS, ACRONYMNS AND GLOSSARY

1	INTRODUCTION	1-1
1.1	<i>THIS DOCUMENT</i>	1-1
1.2	<i>THE PROJECT PROPONENT</i>	1-1
1.3	<i>THE PROJECT</i>	1-3
1.4	<i>THE REQUIREMENT FOR AN EIA</i>	1-7
1.5	<i>ENVIRONMENTAL PRACTITIONER</i>	1-7
1.6	<i>STRUCTURE OF THIS REPORT</i>	1-9
2	REGULATORY FRAMEWORK	2-1
2.1	<i>INTRODUCTION</i>	2-2
2.2	<i>MOZAMBICAN LEGAL/REGULATORY FRAMEWORK</i>	2-2
2.3	<i>INTERNATIONAL CONVENTIONS</i>	2-23
2.4	<i>GOOD INTERNATIONAL INDUSTRY PRACTICE</i>	2-26
2.5	<i>REQUIREMENTS OF OTHER INTERNATIONAL INSTITUTIONS OF RELEVANCE</i>	2-29
2.6	<i>NUMERICAL STANDARDS AND GUIDELINES RELEVANT TO THE PROJECT</i>	2-30
2.7	<i>ANADARKO COMPANY POLICY</i>	2-37
2.8	<i>ENI'S COMPANY POLICY</i>	2-38
3	THE EIA PROCESS APPROACH AND METHODOLOGY	3-3
3.1	<i>OVERVIEW OF THE EIA PROCESS</i>	3-3
3.2	<i>OVERVIEW OF APPROACH</i>	3-3
3.3	<i>PHASE 1: EIA PRE-ASSESSMENT APPLICATION (SCREENING)</i>	3-5
3.4	<i>PHASE 2: ENVIRONMENTAL PRE-FEASIBILITY STUDY AND SCOPE OF DEFINITION (EPDA/SCOPING)</i>	3-6
3.5	<i>PHASE 3: IMPACT ASSESSMENT</i>	3-9
3.6	<i>EIA METHODOLOGY</i>	3-15
3.7	<i>MANAGEMENT AND MONITORING</i>	3-21
3.8	<i>DEALING WITH AND MANAGING GAPS AND UNCERTAINTY</i>	3-22
4	PROJECT DESCRIPTION	4-1
4.1	<i>INTRODUCTION</i>	4-1
4.2	<i>OVERVIEW OF THE PROJECT</i>	4-1
4.3	<i>OFFSHORE PROJECT DESCRIPTION</i>	4-9
4.4	<i>ONSHORE PROJECT DESCRIPTION</i>	4-24





4.5	<i>NEAR SHORE PROJECT DESCRIPTION</i>	4-42
4.6	<i>MANAGEMENT OF EMISSIONS, DISCHARGES AND SOLID WASTES</i>	4-53
4.7	<i>DECOMMISSIONING AND CLOSURE</i>	4-68
5	<i>CONSIDERATION OF ALTERNATIVES</i>	5-1
5.1	<i>INTRODUCTION</i>	5-1
5.2	<i>SITE ALTERNATIVES</i>	5-1
5.3	<i>LAYOUT ALTERNATIVES</i>	5-11
5.4	<i>TECHNOLOGY AND PROCESS ALTERNATIVES</i>	5-14
5.5	<i>NO-GO ALTERNATIVE</i>	5-16
5.6	<i>CONSIDERATION OF ALTERNATIVES THROUGH FEED</i>	5-18
6	<i>BASELINE - INTRODUCTION AND GEOGRAPHICAL CONTEXT</i>	6-1
6.1	<i>OVERVIEW AND STRUCTURE OF THE EIA BASELINE</i>	6-1
6.2	<i>SUMMARY</i>	6-1
6.3	<i>SOURCES OF INFORMATION</i>	6-3
6.4	<i>GEOGRAPHICAL SETTING</i>	6-4
6.5	<i>AREAS OF INFLUENCE AND STUDY AREA</i>	6-7
6.6	<i>CLIMATE AND METEOROLOGY</i>	6-10
6.7	<i>AIR QUALITY</i>	6-17
6.8	<i>NOISE</i>	6-21
6.9	<i>LANDSCAPE AND SEASCAPE CHARACTER AND VISUAL AMENITY</i>	6-24
6.10	<i>NATURE CONSERVATION</i>	6-42
7	<i>ENVIRONMENTAL BASELINE - OFFSHORE AND NEAR SHORE</i>	7-1
7.1	<i>INTRODUCTION</i>	7-1
7.2	<i>SUMMARY</i>	7-1
7.3	<i>SOURCES OF INFORMATION</i>	7-3
7.4	<i>REGIONAL CONTEXT - QUIRIMBAS ARCHIPELAGO</i>	7-3
7.5	<i>OFFSHORE ENVIRONMENT - PHYSICAL CONDITIONS</i>	7-6
7.6	<i>OFFSHORE ENVIRONMENT - MAJOR BIOLOGICAL FEATURES</i>	7-22
7.7	<i>NEAR SHORE ENVIRONMENT - PHYSICAL CONDITIONS</i>	7-37
7.8	<i>NEAR SHORE ENVIRONMENT - MARINE HABITATS</i>	7-59
7.9	<i>NEAR SHORE ENVIRONMENT - MAJOR BIOLOGICAL FEATURES</i>	7-95
8	<i>ENVIRONMENTAL BASELINE - ONSHORE</i>	8-1
8.1	<i>INTRODUCTION</i>	8-1
8.2	<i>GEOLOGY AND TERRAIN</i>	8-3
8.3	<i>SOILS AND LAND CAPABILITY</i>	8-5
8.4	<i>GROUNDWATER</i>	8-19
8.5	<i>HYDROLOGY</i>	8-33
8.6	<i>SURFACE WATER ECOLOGY</i>	8-44
8.7	<i>VEGETATION</i>	8-112

8.8	<i>HERPETOFAUNA</i>	8-132
8.9	<i>AVIFAUNA</i>	8-151
8.10	<i>MAMMALS</i>	8-180
8.11	<i>SUMMARY OF KEY ONSHORE ENVIRONMENTAL SENSITIVITIES</i>	8-200
9	<i>SOCIO-ECONOMIC AND COMMUNITY HEALTH BASELINE</i>	9-1
9.1	<i>INTRODUCTION</i>	9-1
9.2	<i>SUMMARY</i>	9-1
9.3	<i>SOURCES OF INFORMATION</i>	9-7
9.4	<i>SOCIO-ECONOMIC STUDY AREA</i>	9-8
9.5	<i>CABO DELGADO PROVINCE: ADMINISTRATIVE AND POLITICAL OVERVIEW</i>	9-9
9.6	<i>CABO DELGADO PROVINCE: SOCIO-DEMOGRAPHIC INDICATORS</i>	9-10
9.7	<i>CABO DELGADO PROVINCE: ECONOMIC ACTIVITIES</i>	9-16
9.8	<i>PALMA DISTRICT POLITICAL AND ADMINISTRATIVE ORGANISATION</i>	9-35
9.9	<i>PALMA DISTRICT AND AFUNGI PROJECT SITE: SOCIO-DEMOGRAPHIC INDICATORS OF THE AREA OF DIRECT INFLUENCE</i>	9-37
9.10	<i>PALMA DISTRICT AND AFUNGI PROJECT SITE AND SURROUNDS: USE OF NATURAL RESOURCES</i>	9-50
9.11	<i>PALMA DISTRICT AND AFUNGI PROJECT SITE AND SURROUNDS: LAND USE AND OCCUPATION PATTERNS</i>	9-52
9.12	<i>PALMA DISTRICT: NON-GOVERNMENTAL ORGANISATIONS AND DONORS</i>	9-59
9.13	<i>PALMA DISTRICT AND AFUNGI PROJECT SITE SOCIAL SERVICES</i>	9-61
9.14	<i>PALMA DISTRICT AND AFUNGI PROJECT SITE ECONOMIC ACTIVITIES AND</i>	
9.15	<i>AFUNGI PROJECT SITE AND SURROUNDS (INCLUDING SENGA AND MAGANJA) CULTURAL AND RELIGIOUS PROFILE</i>	9-131
9.16	<i>AFUNGI PROJECT SITE AND SURROUNDS (INCLUDING SENGA AND MAGANJA): EXPECTATIONS REGARDING THE PROJECT</i>	9-134
9.17	<i>SHIPPING AND NAVIGATION</i>	9-139
9.18	<i>Archaeology and Cultural Heritage</i>	9-148

Non-Technical Summary

Mozambique Gas Development Project

Non-Technical Summary (NTS)



Project Ref: 0133576

February 2014

Mozambique Gas Development Project


Introduction and Background

Natural gas discoveries made in the Rovuma Basin off the coast of northern Mozambique are among the world's most significant discoveries in the last 20 years. Anadarko Moçambique Área 1, Lda (AMA1) holds rights to explore, develop and produce natural gas reserves in Area 1 in the Rovuma Basin and Eni East Africa S.p.A (eni) holds similar rights to explore, develop and produce in Area 4. These areas are adjacent to one another and a number of gas reservoirs or gas fields have been discovered within each area. AMA1 and eni are joint proponents for the Project, working to develop a Liquefied Natural Gas (LNG) Facility and associated infrastructure to convert the natural gas to a liquid state and export it to international markets.

The proposed LNG Project (hereinafter "the Project") would see Mozambique become one of the world's leading natural gas exporting countries. Figure 1 below illustrates the location of the Project.

The Project is required to obtain permission (in the form of an environmental licence(s) from the Government of Mozambique) before AMA1 and eni can construct and operate the facilities. An Environmental Impact Assessment (EIA) Report has therefore been developed to inform the Government's decision making process. The EIA Report documents the process undertaken for identifying, assessing, mitigating and managing the biological, physical and socio-economic impacts of the Project.

Figure 1: Location Area



The Project Developers

AMA1

AMA1 is a wholly-owned subsidiary of Anadarko Petroleum Corporation (APC) and is a commercial entity duly registered under the Republic of Mozambique Laws. AMA1 has offices in Maputo and Pemba. APC is headquartered in The Woodlands, Texas, United States of America and is among the largest independent oil and natural gas exploration and production companies in the world. Information on AMA1 can be accessed on the internet at:


<http://www.anadarko.com/Operations/Pages/LNGmozambique.aspx>

ENI

eni S.p.A is an Italian company with activities in close to 85 countries. Eni East Africa S.p.A (eni) is an affiliate of eni S.p.A. and has a branch in Mozambique with offices in Maputo and Pemba. eni S.p.A. is one of the leading global operators in the deep-water sector worldwide and is currently involved, as operator or partner, in exploration activities in deep water in the Gulf of Mexico and along the coast of Brazil. More information on eni can be accessed on the internet at:

http://www.eni.com/en_IT/media/casebook/casebook-mozambique.html

Economic Benefits of the Project



The initial LNG development (two LNG trains estimated 10mtpa) represents an overall investment of up to US\$25—30 billion, making the project the largest single investment project in Mozambique to date. Assuming export of the LNG to premium markets, such as Japan and the Far East, the Government of Mozambique should see a significant increase in Gross Domestic Product (GDP) and increased revenue through its royalty, tax and equity gas rights.

Mozambique will benefit from a substantial increase in Government revenue for several decades. This economic benefit could be used to improve the health, education and quality of life of the people of Mozambique.

As the number of trains and volume of LNG export, increases, the economic benefits could be compounded several times. The Government of Mozambique has stated it wishes to encourage industrial development using natural gas in the area of the Project. This could further increase the social and economic benefits derived from the Project.

Project Description

The purpose of the Project is to gather, process, and export natural gas in liquid form known as LNG. This LNG will be used as a fuel source in other countries.

The process begins offshore in Area 1 and Area 4 of the Rovuma Basin, where natural gas will be extracted via subsea wells from gas reservoirs (storage areas) up to 1,500m below the seafloor. The collected gas will be transported to the onshore LNG facility by pipelines on the seafloor. Once onshore, the gas will be processed in the LNG facility to remove impurities, converted to liquid (by cooling the gas) and stored in specially designed storage tanks.

The LNG will then be transported through pipelines to an export jetty where it will be loaded into specialized LNG carriers to be transported to international markets. These specially designed ships maintain the LNG in a refrigerated liquid state for sea voyages of several thousand kilometres. The Project has an initial 30 year lifespan but this may be extended depending on future gas reserve development.


The three main elements of the Project are as follows and illustrated in Figure 2:

- **Offshore** - drilling of wells and installation of pipelines on the seafloor to connect the wells and then bring the natural gas to the shore.
- **Near Shore** - construction of a Multi-Purpose Dock and jetties. The dock will house support vessels and allow for equipment and material (for onshore construction) to be brought ashore. LNG carriers will berth at the jetties while they are filled with the LNG.
- **Onshore** - construction and operation of the LNG Facility and all associated infrastructure eg housing, construction camp, airport etc.

The above three main elements are described in detail overleaf.

The project description will be refined through the Front End Engineering and Design (FEED) process currently being undertaken). Should there be any significant departure from the project description in the EIA, such that impacts are different or there needs to be new mitigation measures, the Project will undertake the necessary environmental processes (eg addendum to the EIA).

Figure 2: Illustrative Scheme of Project



The term 'Offshore' refers to the deep water environment. Offshore Project components comprise the wells, infrastructure connecting the wells with systems known as manifolds, to the gas pipelines leading up to Palma Bay (areas within Palma Bay are referred to as the Near Shore). The process begins in Area 1 and Area 4, where natural gas will be extracted via subsea wells from gas reservoirs below the seafloor. The Offshore Project components will consist of production wells and the pipeline system. Production wells are planned for AMA1's Golfinho and Prosperidade gas fields and for eni's Mamba gas field. Up to 60 production wells are planned for the Prosperidade and Mamba gas field and a further 60 production wells are planned for the Golfinho gas field.

The wells in each field will be connected to central collection systems on the sea bed so gas from multiple wells can be collected together. The collected gas will be transported by pipelines (running in a single corridor as they approach the near shore) from the offshore facility to the onshore facility. The offshore system is anticipated to produce up to 4 billion cubic feet of gas a day.

The offshore facility will be constructed by the drilling and installation of wells using dynamically positioned drill ships. Multi-purpose vessels will also be used to install the offshore central collection systems on the seafloor. Once operating, gas will be collected and transported to the onshore facility.

Figure 3 : Example of a Drill Ships and Construction Vessels

Example of a Dynamically Positioned Drill Ship



Example of a Light Construction Vessel



Example of a Deepwater Pipelay Vessel




Example of a Flexible Pipe and Umbilical Lay Vessel



The Near Shore refers to the shallow water within Palma Bay; from the islands of Tecomaji and Rongui to the shoreline. The Near Shore Project components will consist of port facilities (jetties and berths), a Multi-Purpose Dock to support construction activities (eg bringing in heavy equipment and materials), a shipping lane and the pipeline corridor within Palma Bay. Figure 4 below provides an indicative illustration of the near shore infrastructure.

Access channels to the port facilities will be widened and deepened by dredging the seabed in Palma Bay to allow large ships to reach the jetty and berths. Dredging will also be required in the Near Shore to enable pipe-laying. Some dredged material will be used for infill in the near shore while the rest will be disposed of at designated areas offshore.


Figure 4 : Illustration of Near shore Infrastructure



The precise layout of the various Onshore components will be defined during the current Front End Engineering and Design (FEED) process. Thus indicative layouts have been used as the base case of the impact assessment. Figure 5 provides an indicative illustration of the Onshore Project components. Vegetation will need to be cleared and the land leveled prior to construction of the Onshore Project footprint. The Project footprint area is currently approximately 3,600 ha, within the allocated approximately 7,000 ha DUAT area.

The Onshore Project components comprises facilities necessary to treat and process natural gas and supporting infrastructure such as worker accommodation facilities, construction areas, access roads and an airport. The LNG processing plant will receive gas from the offshore facilities, remove impurities in the gas and produce LNG by progressively cooling the gas to a temperature of -163°C . The LNG will be stored in cooled storage tanks on site and transferred by pipeline to the jetties for loading onto ships. The processing plant will produce between 3,000 and 5,000 barrels of LNG a day. The process will also generate water that will be recycled into the process and natural gas condensate, a byproduct that will be sold.

Figure 5: Illustration of Onshore Infrastructure



The EIA process

The purpose of the EIA is to predict the significance of the Project's impacts on the existing (baseline) physical, biological and socio-economic environment; and to identify measures to minimise negative impacts and maximise positive ones. This information will be used to inform decision-making by the Government of Mozambique.

The EIA study comprised the following steps:

- An integrated environmental, socioeconomic and engineering Site Selection study was undertaken to determine the most appropriate site for the construction and operation of the LNG Facility;
- The potential impacts of the Project were initially identified during the 'Estudo de Pré-Viability Ambiental e Definição de Âmbito' (EPDA) or Scoping Phase;
- The existing baseline conditions and any environmental or socio-economic sensitivities were determined through fieldwork and review of existing information;
- Stakeholder concerns raised during the EPDA Phase and Impact Assessment Phase were considered;
- The significance of impacts prior to mitigation measures being applied was assessed;

Figure 6: EIA Process Overview



- Specialist experience and knowledge coupled with modelling in some cases (eg noise, drilled cuttings dispersion) was used to inform the impact assessments;
- Mitigation measures were developed and refined during workshops and meetings with the Project engineers and contractors;
- Workshops and meetings were convened to ensure that the proposed mitigation measures were practical and implementable;
- The Onshore Project layout was revised and reduced based on identified baseline sensitivities, outcomes of the impact assessment and following inputs from environmental and social specialists;
- The significance of residual impacts, prior to mitigation measures being applied was assessed; and
- An Environmental and Social Management Plan (ESMP), Waste Management Plan and Decommissioning and Rehabilitation Plan were developed and a process for training and educating staff about these plans was prepared.

Stakeholder Engagement

Stakeholder engagement (including communication with local communities) is a critical part of the EIA process and activities were carried out at key stages of the EIA process to ensure that stakeholder concerns and comments are addressed in the EIA. Meetings were held with stakeholders during the EPDA and Impact Assessment Phases. In addition, focus group meetings were held during the Impact Assessment Phase with key stakeholders. The Draft EIA Report was made available for public comment between 27 August and 31 October 2013.

All comments received throughout the engagement process and commenting period were recorded, and responses are provided in a Public Participation Report (*Annex A* of EIA Report).

The Draft EIA Report was updated based on comments received prior to submission to MICOA in February 2014.

Prediction, Evaluation and Mitigating Impacts

Impacts were identified by the EIA team with inputs by stakeholders (eg local communities, government departments and local communities). An impact is any change to a resource or receptor brought about by the presence of the Project component or by the execution of a Project-related activity. The impacts assessed fall into two main categories; environmental and socio-economic. Environmental impacts include both physical impacts of the Project such as changes in air quality and biological impacts such as changes to marine and land based habitats.

The socio-economic impacts are effects of the Project on people and their livelihoods. This includes positive impacts such as employment or increased demand for local goods and services as well as negative impacts such as loss of access to farm land or access to parts of Palma Bay for engaging in subsistence livelihoods activities. The following aspects were considered when determining the significance of identified impacts:

- **nature of impact:** positive or negative;
- **duration of impact:** temporary, short term, medium term, long term or permanent;
- **scale of impact:** onsite, local, regional, national or international/ transboundary; and
- **intensity of the impact:** negligible, low, medium, high.

Table 1 shows the definitions for the categories of significance used in this EIA.

Table 1 : Definition of Significance Levels

NEGLIGIBLE	The existing environmental and social conditions will not be affected or the affect is not detectable. A negligible impact is likely to be of no concern to the government, communities and organisations.
MINOR	The environmental and/or social conditions will be affected, but the impact small enough that it is unlikely to be of concern to the government, communities and organisations.
MODERATE	An impact of moderate significance is one within accepted limits and standards. The emphasis for moderate impacts is on demonstrating that the impact has been reduced to a level that is as low as reasonably practicable (ALARP).
MAJOR	A major impact is one where there will be a large change to communities or the natural environment. The aim of the EIA is to provide ways to stop these large impacts from occurring. At times this is not possible and it is up to the government to decide if this is acceptable when considering the benefits of the Project.

Mitigating Impacts:

The Project philosophy regarding mitigation is outlined in Table 2. The Project first sought to avoid impacts to the extent practical. If impacts could not be avoided they were mitigated through modifying the design or implementing mitigation at the impact site. In cases where these first two mitigation strategies were not possible, the Project would aim to remediate impacts wherever possible and finally investigate options for compensation or offsets where necessary or required.

Table 2 : The Mitigation Hierarchy for Planned Project Activities

<p style="text-align: center;">AVOID AT SOURCE; REDUCE AT SOURCE</p> <p>Avoiding or reducing at source is 'designing' the project (embedded controls) so that a feature causing an impact is designed out (eg a waste stream is eliminated) or altered (eg reduced waste volume). Often called minimization.</p>
<p style="text-align: center;">ABATE ON SITE</p> <p>This involves adding something to the basic design to abate the impact - pollution controls fall within this category. Often called 'end-of-pipe'.</p>
<p style="text-align: center;">ABATE AT RECEPTOR</p> <p>If an impact cannot be abated on-site then measures can be implemented off-site. An example of this would be to use a silt trap to capture any sediment that may flow into streams.</p>
<p style="text-align: center;">REPAIR OR REMEDY</p> <p>Some impacts involve unavoidable damage to a resource, eg land disturbance. Repair involves restoration and reinstatement measures, such as re-vegetation</p>
<p style="text-align: center;">COMPENSATE IN KIND</p> <p>Where other mitigation approaches are not possible or fully effective, then compensation, in some measure, for loss, damage, and general intrusion might be appropriate.</p>

Key Impacts for Decision Making

The EIA has assessed the potential impacts of the proposed Project on the biophysical and socio-economic environment. Throughout the EIA process evolving project information has been fed into the assessment process, allowing for the EIA to be updated as the Project concept was developed. Thus, impacts have been assessed taking into account the mitigation measures that were built into project design. Potential 'cumulative' impacts (ie impacts acting in conjunction with each other on a common resource or receptor) and the risk of accidents (eg gas pipeline rupture) have also been assessed as an integral part of the assessment exercise.

The findings of the EIA process are presented in this section. A large number of potential impacts were assessed in the EIA process and the detailed findings are presented in the EIA Report.

BASELINE

The offshore project area is located in deep waters, in depths of around 1,000m to 2,300m. The offshore marine environment supports a wide range of larger animals such as whales and dolphins as well as many species of fish, turtles and sea birds. Deep water reef structures (mainly hard substrate structures) have been observed on the seabed.

The near shore environment, in and around Palma Bay, has clear water (low levels of suspended sediment), temperatures in the range of 30 to 35°C and a number of different habitats; rocky bottom, sand beaches, mangroves and mudflats. Figure 7 shows a range of the typical habitat types. Palma Bay supports sea grass beds close to the shore with coral reefs scattered within the bay and around the islands of Tecomaji and Rongui.

PROJECT ACTIVITIES

Project activities that could affect this baseline include dredging, disposal of dredge material, installation of subsea infrastructure, and the construction of the jetties and Multi-Purpose Dock.

Figure 7 Habitats in the Offshore and Near Shore Environment



Summary of Key Offshore Environmental Impacts

Impacts due to discharge of drill cuttings:

Dispersion modelling of drill cuttings and the sensitivity of offshore benthic fauna and flora indicates that impacts from physical inundation (burial and change in sediment grain size) will be of MINOR significance before and after mitigation. The drilling of the offshore production wells will be the primary activity likely to result in potential impacts to water quality and marine ecology (such as whales, dolphins and benthos) in the offshore area. With the implementation of mitigation measures, all residual impacts are predicted to be of NEGLIGIBLE and MINOR significance in the offshore marine environment.

Deepwater reef structures and associated organisms, however, may be at risk of enduring more severe effects. This is because the recovery of reef structures is expected to take an appreciable amount of time due to generally slow growth rates of these organisms. Therefore the predicted impact to offshore reef communities may potentially be of MODERATE significance prior to mitigation. It should be noted that both the high and low-relief structures observed in the deep waters offshore largely comprise scattered rock and sediment, and do not apparently support high densities of fauna. With the implementation of mitigation, this impact will be reduced to MINOR.

Impacts due to discharge of residual muds:

Impacts on benthic marine organisms or those in the water column (ie plankton) from discharges of residual muds (small amounts of muds that remain on the drill cuttings after treatment) are predicted to be of MINOR significance because of low toxicities of the quantities and types of muds used/or discharged to the offshore environment. Impacts will be reduced to NEGLIGIBLE with the implementation of mitigation.

Impacts due to discharge of hydrotest water:

The impacts on marine ecology and/or marine ecological processes associated with the discharge of hydrotest water at depths of approximately 1,500m in the offshore gas fields during commissioning (ie the construction phase) will be NEGLIGIBLE, as the hydrotest water will be discharged in a phased approach, at pressures that will ensure that the water quality effects of the discharges are restricted to close proximity of the release points.

Impacts due to increased traffic:

Potential impacts from vessel and helicopter noise, lighting and movements on offshore marine ecology (birds, fish, benthic fauna etc) with the exception of marine mammals will be NEGLIGIBLE. Effects of vessel collisions or disturbance on whales may be more severe due to their conservational value or importance and the associated impact is predicted to be of MODERATE significance. However, mitigation measures specific to whales will ensure that vessel collisions with whales are avoided and thus impact significance is reduced to NEGLIGIBLE.

Impacts due to habitat modification:

The introduction of the subsea infrastructure, a hard structure, on to the seabed in the Offshore Project Area will result in changes to the character of the sea bed and consequently the diversity and structure of the benthic community. Such an impact will be of MODERATE significance, particularly at deep water reef structures, where benthic organisms including deepwater reef structures, may be affected. Mitigation measures will ensure that the subsea infrastructure is located to avoid areas of sensitive benthic communities to the extent practical. Thus reducing the impact significance to NEGLIGIBLE.

Summary of Key Near Shore Environmental Impacts

Construction activities in the Near Shore are likely to result in disruptions to seagrass, coral reefs and some loss of mangrove and estuary areas. These features play critical roles in ecological interrelationships and directly and indirectly support productivity and biodiversity in the Palma Bay area. The implementation of mitigation has helped to reduce the significance of such impacts but the potential remains for bay-scale productivity to be affected.

Impacts due to dredging: Pre-mitigation impacts to marine ecology from dredging activities in the Near Shore Project Area have been assessed as severe, with a number of MAJOR significant impacts being identified. Examples of such impacts include; the effects on seagrass, coral and associated biological communities from increased turbidity in the water column, cutting a trench through coral reef and rock, depositing fine sediment on benthos and modifications to the seabed. The significance of these MAJOR impacts is largely reduced through mitigation. Key mitigation measures include changing the proposed dredging/cutting techniques and avoidance of areas considered particularly sensitive (ie corals along the pipeline route) and measures to reduce turbidity.

The deposition of fine sediments from dredging activities can inundate seagrass beds and also cover corals with a veneer of sediment that may take considerable time to recover. The re-suspension of sediment and subsequent deposition is unavoidable and subsequent effects to benthos and coral are likely to remain as MAJOR significance post-mitigation.

Dredge material discharged in a dredge placement area at the head of the Afungi Canyon in Palma Bay will smother and possibly result in negative impacts to benthos within the designated 1km² placement area. The impact will be of MODERATE significance within dredge placement area itself pre-mitigation, and MINOR post-mitigation. Benthos will likely recover within 1 to 3 years after the cessation of dredging.

Impacts due to modification of the beach: The installation of Near Shore infrastructure across the intertidal beaches and extending into the shallow subtidal zone will modify beach structure and dependant ecological processes. This is likely to result in a loss of parts of the productive sand beach and subtidal zones and areas of seagrass meadow. It will allow the establishment of hard substrate communities in the lower intertidal and corals, sponges and associated organisms in the subtidal and may also facilitate colonisation by alien and potentially invasive species. The impacts to the marine biotopes and associated communities within the bay will be MODERATE for the construction and operational phases. With mitigation, including design mitigation, these impacts will be reduced to MINOR significance.

Impacts due to increased noise: Impacts to fish, whales, dolphins and turtles from noise associated with pile driving in Palma Bay are predicted to be of MODERATE significance although the extent of the effects differs among groups. Should a 'soft start' procedure be implemented prior to construction activities when megafauna are present in the bay, the impact will be reduced to MINOR.

Impacts due to alien invasive species: If invasive alien species are transferred into Palma Bay via ballast water, effects on biodiversity and marine ecology, including seagrass and corals may be of MODERATE significance. The progressive adoption of ballast water control measures and processing techniques as sanctioned by International Maritime Organisation (IMO) will further reduce the likelihood of releasing of non-indigenous organisms. However, due to the high magnitude of the effects that may arise should invasive species become established in northern Mozambique, the significance rating would remain as MODERATE.

Impacts due to discharges into the bay: Discharges from the proposed desalination and sewage treatment plants as well as from treated produced water and stormwater from the LNG Facility is are likely to have NEGLIGIBLE to MINOR significant impacts on near shore water quality and marine flora and fauna in Palma Bay prior to mitigation. All impacts from sources of discharge post-mitigation will be NEGLIGIBLE.

Impacts due to waste discharges: Discharged solid and liquid wastes from marine vessels during any phase of the Project could potentially result in impacts of MODERATE significance through the proliferation of litter and compromised water quality harming marine organisms, seabirds and biodiversity in Palma Bay. With effective mitigation of waste with appropriate facilities impacts will be reduced to NEGLIGIBLE.

Impacts due to loss of an estuary and its mangroves: The impacts on marine ecology resulting from the loss of the estuary and associated mangrove stand to the east of Afungi Project Site during the construction phase will be of MODERATE significance. The impact will remain as MODERATE significance post-mitigation given the loss of the multi-species mangrove stand.


Impacts due to the security exclusion zones: The establishment of security (exclusion) zones around the LNG Facility and the Near Shore Project infrastructure during construction and operations will displace artisanal fishing effort and locally increase exploitation pressure on the fish community outside of the zones resulting in impacts of MINOR significance. Mitigation measures to help reduce such impacts have yet to be identified.

Summary of Key Onshore Environmental Impacts

BASELINE

The onshore project area is located in an area that has three main habitat types, marshlands, wetlands and woodlands. All of these habitats are considered important due to the animal and plant life they support. Figure 9 shows some of the plants and animals in the Afungi Project Site. The wetlands are fed by drainage channels upstream of the site; the flows in these channels are highly variable with very high flow in the wet season and very low flow in the dry season. The wetlands are of particular importance as they provide habitat for frogs and lizards (amphibians). These amphibians are eaten by other animals and largely support the food chain in the area.

Figure 8 Examples of plants and animals in the Afungi Project Site



PROJECT ACTIVITIES

During the construction phase, the activities that will impact on the baseline are the clearance of vegetation, infilling of an estuary, and other general site preparation activities (eg levelling of land). During the operation phase, activities that could affect the baseline are associated with accidental spills, runoff and sedimentation.

REVISION TO ONSHORE PROJECT LAYOUT

Field studies conducted during the Baseline Phase of the EIA identified and mapped sensitive habitats for a variety of vegetation, terrestrial fauna and avian species. Once these species-specific sensitive habitat maps were overlaid (see Figure 9), it became apparent that certain areas within the Afungi Project Site were more sensitive than others. Most of the species relied heavily on the wetlands within the Onshore Project Footprint Area for the ecological functions they provide (food, water, breeding habitat, etc).

Through baseline studies and sensitivity mapping, it became obvious the Project could reduce adverse environmental impacts by revising the Onshore Project Footprint Area. With the sensitivity map in mind, the Project began to investigate methods to avoid or minimise potential footprint impacts. This was facilitated by a series of interactions held between the EIA and Project Engineering Teams. The EIA Team, in conjunction with AMA1, revised the base case Project layout (Figure 9) to avoid or minimise impacts on the identified high-sensitivity areas. Figure 10 shows the Revised Project Footprint Area. The potential FEED Contractors were then tasked with determining whether they could design the Project to work within the revised areas. Each of the potential FEED Contractors confirmed that they were able to work within the revised layout.


This mitigation exercise enabled the avoidance of some impacts and the minimisation of others to as low as reasonably practicable (ALARP). The Revised Project Footprint Area effectively reduces the disturbance of areas classified as High to Very High terrestrial ecological sensitivity from approximately 2,340ha to 1,695ha, thereby avoiding the disturbance of approximately 645ha of High to Very High sensitivity.

Project Footprint Area - Base Case and Revised

Revised Footprint Area

The Onshore Project Footprint (see Figure 9) was revised to minimise impacts to area considered to be of high sensitivity to habitats and various animals such as birds, mammals and frogs. This was a key mitigation measure developed and the revised Project footprint is shown below in Figure 10.


Figure 9 Base Case



Legend

- Villages / Settlements
 - Regional Roads
 - Existing Roads
 - Nearshore Components
 - Airstrip
 - Afungi Project Site
 - Revised Project Footprint
- ### Sensitivity Rating
- Very High
 - High
 - Medium-High
 - Med
 - Low
 - 150m Buffer

Figure 10 Revised Footprint



Summary of Key Onshore Environmental Impacts

Impacts due to air emissions: Air dispersion modelling undertaken indicates that during the operational phase of the Two-Train LNG Facility, there will be minimal impacts to human and ecological receptors outside the Afungi Project Site from changes to air quality. Impacts to receptors outside of the Afungi Project Site will be of NEGLIGIBLE significance for all pollutants modelled pre- and post- mitigation with the exception of SO₂ which will be of MINOR significance prior to mitigation and NEGLIGIBLE post-mitigation.

However, with the expansion of the LNG Facility to six trains, a potential impact of MODERATE significance may occur from increased levels of SO₂ pre-mitigation. Further consideration of the design of the LNG Facility (in terms of both stack height and turbine technology adopted) is recommended to avoid the potential of exceeding air quality standards during operations of an expanded six train facility.

Impacts due to emissions of greenhouse gases: Assuming Mozambique's Greenhouse Gas (GHG) emissions will increase by 8 percent per year (based on World Bank GDP predicted growth figures), emissions from the Project will increase the country's global contribution of GHG emissions from between 0.4 percent per year up to 10 percent per year, depending on the year and period of development (ie construction or operation). The pre-mitigation impact of the Project on Mozambique's national GHG emissions is likely be of MAJOR significance both during the construction and operational phases of the Project. Given the scale and nature of the Project, while good practice can be employed to reduce the GHG emissions, the overall significance of the impact is not expected to significantly change post-mitigation.

Impacts due to noise generation: Noise modelling has shown that during normal construction and operational activities noise levels will remain in compliance with Mozambican and IFC noise limits/standards at Noise Sensitive Receptors at night and during the day. Impacts are therefore predicted to be of NEGLIGIBLE to MINOR significance pre-mitigation and similar post mitigation.

Impacts to the visual landscape: Project activities during the construction phase, including the movement of vessels in and out of Palma Bay and the presence of highly visible equipment and machinery onshore, are likely to have a visual impact of MODERATE to MAJOR significance on Palma Bay Seascape Unit (ie in the coastal area of Palma Bay). During the operational phase this impact will increase to MAJOR significance, with the introduction and long term presence of the LNG Facility and associated infrastructure on Afungi Peninsula and within Palma Bay. Further south in the Afungi Peninsula to Cabo Nondo Seascape Unit, visual impacts experienced as a result of the Project will be of MINOR significance during construction and MODERATE during operations.

Visual impacts at a number of viewpoint locations in the wider area which are considered to be particularly sensitive to change are mainly expected to be of MINOR to MODERATE significance during construction. During operations when Project infrastructure is more visible, significance of visual impacts is likely increase to MODERATE to MAJOR, especially in nearby areas such as Palma town, Maganja and within Palma Bay. However, areas further removed from the Afungi Peninsula (Quiwia and the islands of Tecomaji and Rongui) visual impacts are expected to be of MINOR to MODERATE significance during operations. Vamizi Island and Olumbe are expected to have MINOR to NEGLIGIBLE visual impact during operation due to their distance from the Project.

Impacts on soil: Impacts on soil and land capability will predominantly be felt during the construction phase during site clearance activities, and will include soil compaction and topsoil loss, water and wind soil erosion and alteration of natural drainage. Impacts of MODERATE significance will be reduced to MINOR with the implementation of appropriate mitigation measures. Spills or leaks of fuel are likely to have NEGLIGIBLE impacts on soil resources as procedures will be put in place to prevent, contain, clean-up and dispose of any spillage.

Impacts due to groundwater use: Potential impacts to groundwater will be predominantly be felt during the early stage of the construction phase when groundwater will be the only source of fresh water. Groundwater abstraction from the production water supply wells may result in the lowering of groundwater levels (drawdown) in and around abstraction boreholes; however this is deemed to be of low magnitude potentially having a NEGLIGIBLE impact to community wells in the area adjacent to the production water supply wells. Additionally, water abstraction for Project use may have a NEGLIGIBLE impact on environmental receptors reliant on surface water.

Impacts on surface water ecology: The loss of wetland and estuarine habitat during the construction phase has been assessed as being of MAJOR significance. This significance rating is due to the loss of the ecological functions provided by the wetlands and of important habitat for species of conservational value or importance. The reconfiguration of the Project layout will result in a much reduced area of wetland and estuarine habitat being lost and this coupled with the additional mitigation measures proposed will reduce impact significance to MODERATE.

With the implementation of mitigation, all other impacts to wetland and estuarine flora and fauna are predicted to be MINOR, reduced from MODERATE in most instances, with the exception of impacts associated with increased turbidity and changes to sediment patterns. Increased turbidity in the wetland and estuaries is mainly likely to occur during the construction phase from onshore activities (eg removal of vegetation, site levelling, infilling of wetlands) and activities in the Near Shore (eg dredging). A change in sedimentation patterns may affect connectivity of the wetlands, primary production, benthic invertebrates, fish species etc. Impact significance could potentially be MAJOR during this phase of the Project but reduced to MINOR to MODERATE with mitigation.

Summary of Key Onshore Environmental Impacts

Impacts on vegetation: Much of the existing vegetation within the Afungi Project Site has been altered from its natural state (eg for subsistence agriculture) and fragmented. Site clearance activities during the construction phase are expected to result in further fragmentation and the removal or disturbance of some sensitive vegetation units. Site clearance is expected to result in an impact of MODERATE significance. Given the mitigated Revised Project Footprint layout, the areas of sensitive vegetation units to be lost will be reduced and impact significance is thus reduced to MINOR.

Impacts of MODERATE significance to ecological system functioning may occur due to the introduction of undesirable plant species during the construction phase, although with appropriate mitigation such impact will be reduced to NEGLIGIBLE.

Impacts on reptiles and amphibians: The impact of site clearance activities during the construction phase, in particular the infilling of wetland areas within the Afungi Project Site will be of MODERATE to MAJOR significance to reptiles and amphibians given the importance of freshwater wetlands in the functionality of their communities. However, the Revised Project Footprint Area reduces the amount of wetland disturbance and reduces this impact to MINOR significance.

Other impacts to reptiles and amphibians likely to arise during the construction and operational phases of the Project include mortality, disturbance and displacement due to the development of access roads and similar linear structures. Changes in water quality of the wetlands within the Afungi Project Site and adjacent areas also present potential impacts of MINOR to MODERATE significance to reptiles and amphibians. These impacts are reduced to NEGLIGIBLE to MINOR post-mitigation.

The influx of people into the wider area as a result of the Project is expected to put pressure on reptiles and amphibians population density through increased bush fires, reduced water quality from poor sanitation, subsistence poaching and hunting. Such activities could potentially result in reduced breeding success and depleted local populations of reptiles and amphibians and equating to impacts of MAJOR and MODERATE significance during the construction and operational phases respectively. Impacts to areas outside the Project's control are difficult to manage. However with the implementation of proper mitigation, the impact significance will be reduced to MODERATE and MINOR to MODERATE significance respectively.

Impacts on birds: Areas of important avian sensitivity are largely associated with estuarine salt marshes, freshwater wetlands, large intact forests and the inter-tidal zone and mangrove forests. Five International Union for Conservation of Nature (IUCN) listed bird species are known to occur within the Afungi Project Site and the loss of such bird habitat is considered MODERATE to MAJOR in significance. However the revision of the Project layout avoids or minimises impact to these sensitive areas. This in conjunction with additional mitigation measures serves to reduce the significance of the impact to MINOR to MODERATE.

Population influx may include the introduction of domestic animals (livestock and pets) into the area and the introduction of feral animals (dogs and cats). Feral animals are likely to prey on birds and livestock is likely to reduce habitat quality. As a consequence, avian impacts of MODERATE to MAJOR significance are possible during construction (when workforce is greatest); the impact significance is anticipated to be reducing to MODERATE during operations. With the introduction of mitigation measures, the impact will be reduced to MODERATE and MINOR to MODERATE during the construction and operational phases respectively. Other impacts to birds are reduced to NEGLIGIBLE to MINOR post-mitigation.

Impacts on mammals: Project activities likely to result in impacts of MAJOR significant to mammals are largely associated with site clearance activities. Burrowing mammals, tree dwelling species and smaller mammals are likely to be most affected as they are less able to escape construction equipment or vehicles than larger species. Impacts during the operational phase are likely to be MINOR to MODERATE. However with management through mitigation, impacts are reduced to MINOR significance during both development phases.

The presence of infrastructure including roads, fencing, trenches and pipelines will cause loss or fragmentation of mammalian habitat. These may act as deterrents to mammals and have the potential to affect mammalian movements and cause disruption of mammalian migration. Impacts are assessed to be of MODERATE significance during both the construction phase and operational phase of the Project but reduce to MINOR with mitigation.

The most significant potential impacts to mammals remaining following mitigation are the indirect impacts associated with the influx of people into the area. These impacts are likely to be similar to those described for other species above. The various mitigation measures to be implemented by the Project are likely to reduce mammalian impacts to MODERATE during construction and MINOR to MODERATE during operations. All other impacts to mammals will be reduced to MINOR post-mitigation.

Summary of Key Social Impacts

BASELINE

The Afungi Project Site is located within Palma District. Most people over the age of 15 in the district have received no formal education and illiteracy is high in the area. Formal employment is scarce and almost non-existent within the private sector. The majority of the population in the Afungi Project Site are therefore highly dependent on natural resources such as fishing and small scale agricultural activities. Figure 11 shows a local community's dependence on natural resources.

There are very few health care facilities in Palma District yet communities are regularly at risk of health problems arising from water and sanitation. The communities largely use natural water sources such as open wells and streams. The sanitation in the area is poor with few formal toilets, this puts the water sources at risk with potential for out breaks of diarrhoea and cholera.

PROJECT ACTIVITIES

The main Project activities that could change socio-economic conditions include the removal of access to land on the Afungi Peninsula, removal of access to parts of Palma Bay, an increasing in-migrant population within the Project area, training and employment of local people and use of local goods and services.

Figure 11 Dependence on Natural Resource



Impacts due to physical and economic displacement:

The Project expects that everyone residing within the Afungi Project Site will be permanently displaced resulting in loss of dwellings and infrastructure associated with the household, livelihood activities and community assets within the Afungi Project Site. Access to areas of collective natural resource value (eg forests, wooded grassland, flood plains/lowlands, dune shrub vegetation, fruit trees, and coconut plantations) will be permanently lost due to the acquisition of land required for the Project. In addition, fishing and sea-based transportation will be affected by Project activities in Palma Bay during the construction and operational phases of the Project due to increased vessel traffic and safety exclusion zones around Project infrastructure. The impacts associated with physical and economic displacement are expected to be of MAJOR significance both during the construction and operational phases. Following the implementation of the Resettlement Action Plan (RAP), the significance will be reduced to MODERATE .

Summary of Key Social Impacts

Impacts on tourism: The tourism establishments situated on the islands of Tecomaji, Rongui and Queramimbi will be affected by visual and noise impacts resulting from Project construction activities as well as the presence of the Project and vessel traffic during the operational phase. The disruption and loss of attraction to tourism destinations is expected to be an impact of MAJOR significance. This will be reduced to MODERATE with the implementation of mitigation measures including the design of facilities to minimise visual intrusion on tourism receptors and through appropriate ongoing engagement with tourism operators. While the Project activities are anticipated to negatively influence tourism, there will be a positive impact associated with potential increase in use of tourist facilities by the Project. A MODERATE positive impact is expected as a result of increasing demand for accommodation and use of resorts for leisure purposes during both the construction and operational phases.

Impacts due to in-migration: A wide range of direct and indirect negative environmental, social, and economic impacts on local receptors in Project's host communities such as social services, infrastructure and utilities, social dynamics and cultural life, economy and livelihoods and community health are associated with Project related in-migration, leading to a potential deterioration in the socio-economic environment of the Project's host communities. These impacts are likely to be MAJOR. With appropriate mitigation, including engagement and coordination with relevant authorities impact significance will be reduced to MODERATE.

Impacts on community health: Community health is likely to experience MAJOR significant impacts from the presence of the Project workforce, and due to Project related in-migration into the wider area as well such as an increase in communicable diseases (eg respiratory disease and sexually-transmitted infections and vector borne diseases such as malaria). Similarly, MAJOR significant impacts to community health may arise indirectly from Project activities or associated with Project related in-migration (such as increased pressure through demand on health infrastructure, food and nutrition related issues, community accidents and injuries and soil, water and waste borne diseases). With the implementation of mitigation measures, most impacts are reduced to MODERATE significance, and some MINOR. During the construction and operational phase, the potential for increased sexually-transmitted infections and high risk sexual practices may remain as MODERATE to MAJOR significance post-mitigation.

Enhancement measures to be implemented will promote community health benefits from the presence of the Project. MODERATE to MAJOR positive impacts on community health are anticipated particularly during the operational phase of the Project.

Impacts on local, regional and national economy: The Project will have a range of positive economic impacts at the local, regional, and national levels, including income growth (linked to employment and procurement opportunities), capacity development and increased government revenue. These will range from MINOR positive to MAJOR positive in significance and occur during both the construction and operational phases of the Project. The Project will implement measures to enhance these economic benefits.

There are high expectations associated with the Project to provide opportunities for employment and procurement of goods and services locally and regionally and general economic development. A potential negative impact is associated with unmet community expectations in relation to these opportunities and impact significance is expected to be MODERATE during all Project phases, even with the implementation of mitigation measures.

Impacts due to increase in marine vessel movement: Impacts to international maritime traffic and national and regional cabotage will range from NEGLIGIBLE to MODERATE significance due to the presence of Project vessels and the designation of exclusions zones around Project infrastructure, construction areas and vessels. All impacts will be reduced to NEGLIGIBLE to MINOR once mitigation measures are implemented.

Commercial fishing activities are expected to experience impacts of MINOR to NEGLIGIBLE significance. These potential impacts will be confined to the construction phase of the Project and are most likely to occur in the deep water offshore. Temporary exclusions zones in the offshore gas field and pipeline corridor may impede access to commercial fishing grounds. Impacts are expected to be NEGLIGIBLE post-mitigation.

Impacts on archaeology: Impacts to onshore archaeology and cultural heritage are expected to be of MODERATE significance during site clearance and construction activities. However impacts will be reduced to MINOR significance with the implementation of the proposed mitigation. During the operational phase impacts will be NEGLIGIBLE.

Impacts to offshore archaeology and cultural heritage are expected to be MINOR during the construction and operational phases prior to mitigation and NEGLIGIBLE following the implementation of the mitigation measures. All other impacts to mammals will be reduced to MINOR post-mitigation.

Unplanned Events and Cumulative Impacts

Summary of Unplanned Events

An unplanned event is defined as 'a reasonably foreseeable event' that is not planned to occur as part of the Project, but which may conceivably occur as a result of Project activities (eg accidents), even with a low probability. Unplanned events can occur at any phase of the Project onshore and offshore.

The consideration of unplanned events in the EIA has focused primarily on the risks of:

- large volume spills of chemicals or hydrocarbons; and
- failure of subsea infrastructure (such as well blowout or pipeline failure).

Although unlikely to occur should large volumes of hydrocarbon spill in the marine environment the potential consequence to biophysical and socioeconomic receptors could be MAJOR. Sensitive habitats (such as corals and mangroves), local communities dependent on fisheries, as well as tourism operators or aquaculture farms in the vicinity would likely be adversely impacted by such an unplanned event.

Impacts associated with the release of large volumes of natural gas in the marine environment (from failure to or damage of subsea infrastructure) will be less significant.

During the FEED process the Project will identify, assess, mitigate and manage health and safety hazards and risks associated with the Project through a Safety Case. The findings of which will inform decisions related to the design and layout of the Project to reduce the likelihood of unplanned events occurring.

The Emergency Response Plan for the Project sets out response and preparedness measures and incorporates an Oil Spill Contingency Plan. These measures serve to reduce the likelihood, extent and duration of adverse impacts if an unplanned event occurs and establish effective response mechanisms to minimize impacts should such an unlikely event occur.

Cumulative Impacts

It is likely that a number of Mozambique's offshore natural gas resources will be exploited for gas in the coming years resulting in rapid growth in Cabo Delgado Province as a result of the hydrocarbon industry. The cumulative impacts in the region, both positive and negative, as a result are likely to be significant over the life of the Project and beyond. The following have been considered as 'reasonably defined' future developments that could act together with the Project to cumulatively affect the environment:

- establishment of an Industrial Zone (IDZ) by the Government of Mozambique in the vicinity of, or incorporating, the Afungi Project Site.
- future phases of exploration and development of hydrocarbon resources by AMA1, eni and others.

Each of these developments alone has the potential to cause positive and negative biophysical and socio-economic impacts. Cumulatively, the developments will result in significant economic development of the Cabo Delgado Province and the country. The overarching negative cumulative impact of the industrialisation of this area will be the loss of some natural resources as the underdeveloped areas are transformed.

The establishment of the IDZ may result in direct and indirect environmental and social impacts at the local level, but in the long term, consolidating the Project and other operators within the IDZ will serve to confine impacts to one area and ideally allow for easier management of such impacts. Therefore, if managed properly, the IDZ could have an overall positive impact on both biophysical resources and on socio-economic receptors at the regional level given that the Mozambican hydrocarbon resources in this region will undoubtedly be developed. Strategic spatial planning by the Government of Mozambique and its agencies at this early stage is important to promote sustainable development in the region.

Environmental and Social Management Plan (ESMP)

A number of measures to manage residual impacts are captured in the Project Environmental and Social Management Plan (ESMP) and other specific management plans have been developed according to the requirements of Mozambican law and good international industry practice. The ESMP and other plans (listed below) will be implemented during construction and operation of the project.

Environmental Education and Training: This is included in Chapter 17 of the EIA Report and describes how Project staff will be made aware of the environmental and social management measures and controls that they will be required to implement.

Project ESMP: This is a tabulated list of environmental and social management measures and is included in Annex D of the EIA Report. The ESMP references the impacts identified in the impact assessment chapters and categorises the management measures according to phase in which they will be implemented and by responsibility for implementation. Specific monitoring requirements have been identified where required.

Waste Management Plan: The Waste Management Plan is included in Annex E of the EIA Report. It defines waste streams, estimates volumes, categorises wastes streams and describes the means by which the Project will manage waste. The Project has committed to following the waste hierarchy:

Reduce the amount of waste generated;

Re-use materials, where appropriate;

Recycle wastes, where appropriate;

Recover as many materials as practical from the remaining waste;

Treat wastes as necessary to render them less hazardous and/or to enable them to be reused or recycled; and

Dispose of residual wastes responsibly at authorised facilities

Decommissioning and Rehabilitation Plan: This plan outlines the Project's commitments to progressively rehabilitate and re-vegetate disturbed areas wherever possible. In line with good international industry practice and the requirements of Mozambican law, this plan provides the principles that will be followed for decommissioning and rehabilitation and commits the Project to reviewing and updating it at least two years before closure. The plan is included in Annex F of the EIA Report.

Emergency Response Plan: This plan is included in Annex H of the EIA Report. It details the emergency organisational structure and protocols that will be implemented to respond to any major incident in a safe, rapid, effective, and efficient manner within the region. Incidents are defined as an event or hazardous circumstance that poses a significant impact to people, the environment, or property.

Initial Resettlement Plan: The Project's Initial Resettlement Plan (IRP) is included in Annex I of the EIA Report. It describes the approach, principles and procedures that will be followed to manage all unavoidable displacement. The IRP provides the framework for the future development of a full Resettlement Action Plan (RAP). The RAP will be prepared in accordance with Mozambican legislation and the International Finance Corporation's Performance Standard 5: Land Acquisition and Involuntary Resettlement (IFC PS 5) in close consultation with the affected communities.

WHAT IS THE NEXT STEP IN THE PROCESS?

The Draft EIA Report has been finalised in light of all comments received during the public commenting period (27 August to 31 October 2013).

The Final EIA Report has been made submitted to MICOA for decision making (February 2014). If any person or organisation that is interested in or affected by the Project (Interested and Affected Parties (I&APs) has further comments on the Final EIA Report, they are requested to submit these directly to MICOA.

Abbreviations/Units, Acronyms and Glossary

ABBREVIATIONS/UNITS

%	Percent
%PTV	Percentage of pollution-tolerant valves
°C	Degrees Celsius
µg/m ³	Micrograms (one-millionth of a gram) per cubic metre
2-D	Two-dimensional
3-D	Three-dimensional
amsl	Above mean sea level
bbl	Barrel
bbl/day	Barrels per day
BBOE	Billion barrels of oil equivalent
BCF	Billion cubic feet
cm	Centimetres
cmol (+)kg ⁻¹	Centimoles of positive charge per kilogram
dB(A)	Decibels (A-weighted scale)
ha	Hectare
hr	Hour
kg	Kilogram
km	Kilometre
km ²	Square kilometres
l	Litre
L _{Amin}	Minimum measured noise level in measurement period
L _{Aeq}	Equivalent Continuous Sound Level
L _{A90}	Noise levels that are exceeded for 90% of each sample period
L _{Amax}	Maximum measured noise level in measurement period
l/s	Litres per second
m	Metre
mg	Milligram
m bgl	Metres below ground level
m/s	Metres per second
m ²	Square metres
m ³	Cubic metres
m ³ /s	Cubic metres per second
mg.l ⁻¹	Milligrams per litre
ml	Millilitre
mm	Millimetre
MMtpa	Million metric tons per annum
Mm/yr	Millimetres per year
mS/m	Milli Siemens per metre
MtCO ₂ e	Million metric tons of carbon dioxide equivalent
MTPA	Million tonnes per annum
MZN	Mozambican metical
nm	Nanometre
NTU	Nephelometric Turbidity Unit
pH	Measure of acid or alkaline
ppm	Parts per million
ppmv	Part per million by volume
ppt	Parts per thousand
PSU	Practical salinity unit
rms	Root mean squared
s	Second
t	Tonne
TCF	Trillion cubic feet
tCO ₂ e	Metric tons of carbon dioxide equivalent
USD	United States dollar

ACRONYMS

AC	Agulhas Current
ADI	Area of Direct Influence
ADNAP	Administração Nacional das Pescas (National Fishing Administration)
AFE	Afungi Test Site East
AFT	Afungi Test Site West
Ag	Silver
AII	Area of Indirect Influence
Al	Aluminium
ALARP	As low as reasonably practicable
ALE	Adult literacy and education
AMA1	Anadarko Moçambique Area 1, Lda
AMODER	Associação Moçambicana para o Desenvolvimento Rural (Mozambican Association for Rural Development)
ANC	antenatal care
ANE	Administração Nacional de Estradas (National Roads Administration)
Antarc IW	Antarctic Intermediate Water
APC	Anadarko Petroleum Corporation
APE	Elementary Polyvalent Agent
AQS	Air Quality Standard
ARA	Administração Regional de Águas (Regional Water Administrations)
Area 1	Rovuma Basin Offshore Area 1
ARI	Acute respiratory infection
ART	Antiretroviral treatment
As	Arsenic
ASA	Applied Science Associates Inc
AUV	Autonomous Underwater Vehicle
Ba	Barium
BDI	Biological Diatom Index
Be	Beryllium
BID	Background Information Document
BOD	Biochemical Oxygen Demand
BOP	Blowout Preventer
BTEX	Benzene, toluene, ethyl benzene and xylene (collective name)
C3MR	Propane Pre-cooled Mixed Refrigerant
C	Carbon
Ca	Calcium
CaCO ₃	Calcium carbonate
CBD	Convention on Biological Diversity
CCDA	Complete Community Development Approach
Cd	Cadmium
CEC	Cation exchange capacity
CENACARTA	Centro Nacional de Cartografia e Teledetecção (National Centre for Cartography and Tele-detection)
CFM	Caminhos de Ferro de Moçambique EP (Mozambique Ports and Railways Company)
CGPCS	International Contact Group on Piracy off the Coast of Somalia
Ch	Champagne soil type
CH ₄	Methane
CHA	Community health agent
CSW	Commercial sex worker
CITES	Convention for the Trade in Endangered Species
Cl	Chloride
CLO	Community Liaison Officer
Co	Cobalt
CO	Carbon monoxide

CO ₂	Carbon dioxide
COD	Chemical Oxygen Demand
COLREGs	Convention on the International Regulations for the Prevention of Collisions at Sea
CORDIO	Coral Reef Degradation in the Indian Ocean
COT	Crown-of-thorns (starfish)
Cr	Chromium
CS	Cutter Suction (Dredger)
CSW	Commercial sex workers
CTD	Conductivity-temperature-depth
Cu	Copper
CW	(Indian Ocean) Central Water
DBH	Diameter at breast height
DD	Data Deficient
DEAS	District Economic Activities Service
DFMQAMRP	Darwin/Frontier Mozambique Quirimbas Archipelago Marine Research Programme
DINAGECA	National Department of Geography and Cadastre
DMR	Dual Mixed Refrigerant
DNAIA	Direcção Nacional de Avaliação do Impacto Ambiental (National Directorate of Environmental Impact Assessment)
DO	Dissolved oxygen
DOTS	Directly Observed Treatment Short Course
DP	Dynamically positioned
DPCA	Direcções Provinciais para Coordenação da Acção Ambiental (Provincial Directorate for Coordination of Environmental Affairs)
DRP	Decommissioning and Rehabilitation Plan
DUAT	Direito de Uso e Aproveitamento da Terra (Land Use and Benefit Rights)
DWAF	South African Department of Water Affairs and Forestry
EACC	East African Coastal Current
EAME	Eastern Africa Marine Ecoregion
EBI	Energy and Biodiversity Initiative
EC	Electrical conductivity
ECAQS	European Commission Air Quality Standard
ECAs	Export Credit Agencies
EEZ	Exclusive Economic Zone
EGPAF	Elizabeth Glaser Paediatric AIDS Foundation
EHA	Environmental health area
EHS	Environmental, Health and Safety
EIA	Environmental Impact Assessment
EIR	Environmental Impact Report
EITI	Extractive Industry Transparency Initiative
EMC	East Madagascar Current
EMODRAGA	Empresa Moçambicana de Dragagem (Mozambican Dredging Company)
EMP	Environmental Management Plan
EMS	Environmental Management System
ENH	Empresa Nacional de Hidrocarbonetos (National Hydrocarbon Company)
eni	Eni East Africa S.p.A
ENSO	El Niño Southern Oscillation
EP1	First Degree of Primary Education
EP2	Second Degree of Primary Education
EPC	Engineering, Procurement and Construction
EPCC	Exploration and Production Concession Contract
EPDA	Estudo de Pré-viabilidade e Definição do Âmbito (Environmental Pre-feasibility Report and Scope Definition)
EPT	<i>Ephemeroptera, Plecoptera and Trichoptera</i>
EqIOW	Equatorial Indian Ocean Tropical Surface Water
EQT	Environmental Quality Target
ERM	Environmental Resources Management Southern Africa (Pty) Ltd
ERP	Emergency Response Plan

ESD	Equivalent spherical diameter
ESD/D	Emergency Shutdown and Detection
ESG1	First Cycle of Secondary Education
ESG2	Second Cycle of Secondary Education
ESMP	Environmental and Social Management Plan
ESMS	Environmental and Social Management System (ESMS)
ESP	Exchangeable sodium percentage
ET	Evapotranspiration
ETB	Basic Technical Education
ETE	Elementary Technical Education
ETM	Intermediate Technical Education
EU	European Union
Fe	Iron
FEED	Front-end Engineering and Design
FEWS NET	Famine Early Warning System Network
FFB	Far-field site
FFP	Fundo de Fomento Pesqueiro (Fisheries Development Fund)
FGD	Focus group discussion
FH	Food for the Hungry
FIPAG	Fundo de Investimento e Património do Abastecimento de Água (The Mozambique Water Authority)
FPIC	Free, prior and informed consent
FPU	Floating Production Unit
FTU	Formazin turbidity units
GAPI	Instituição Financeira de Desenvolvimento de Moçambique (Mozambican Institute of Development Finance)
GDACE	Gauteng Department of Agriculture Conservation and Environment (South Africa)
GBDV	Gender-based domestic violence
GDEM	Global Digital Elevation Model
GDP	Gross domestic product
GEF	Global Environment Facility
GHG	Greenhouse gas
GIIGNL	The International Group of Liquefied Natural Gas Importers
GIS	Geographic Information System
GMDSS	Global Maritime Distress and Safety System
GNP	Gross national product
GOM	Government of Mozambique
GPS	Geographically Positioned System
GWP	Global warming potential
H ₂ O	Water
H ₂ S	Hydrogen sulphide
HAT	Highest Astronomical Tide
HCO ₃	Bicarbonate
HF	High flow
HFO	Heavy fuel oil
Hg	Mercury
HH	Households
HHV	Higher Heating Value
HIA	Health Impact Assessment
HIV/AIDS	Human immunodeficiency virus/acquired immunodeficiency syndrome
HLV	Heavy Lift Vessel
HSB	Health seeking behaviour
HSS	Health systems strengthening
HYCOM	HYbrid Coordinate Ocean Model
I&APs	Interested and affected parties
IACM	Instituto de Aviação Civil de Moçambique (National Aviation Institute)
IADC	International Association for Drilling Contractors
IBAs	Important Bird Areas
ICOMOS	International Council on Monuments and Sites

IDPPE	Instituto Nacional de Desenvolvimento da Pesca de Pequena Escala (National Small-Scale Fishing Development Institute)
IDZ	Industrial Development Zone
IEC	Information, education and communication
IFC	International Finance Corporation
IHI	Index of Habitat Integrity
IIP	Instituto de Investigação Pesqueira (Fisheries Research Institution)
IMF	International Monetary Fund
IMO	International Maritime Organisation
Impacto	Impacto, Projectos e Estudos Ambientais Lda
INAHINA	Instituto Nacional de Hidrografia e Navegação (National Hydrography and Navigational Institute)
INAM	Instituto Nacional de Meteorologia (National Institute of Meteorology)
INAMAR	Instituto Nacional da Marinha (National Maritime Institute)
INAR	Mozambican National Institute for the Support of Refugees
INGC	Instituto Nacional de Gestão de Calamidades (National Institute for of Disaster Management)
INMARSAT	Convention on the International Maritime Satellite Organisation
INP	Instituto Nacional do Petróleo (National Petroleum Institute)
IOC	Indian Ocean Commission
IPCC	Intergovernmental Panel on Climate Change
IRPC	Corporate Income Tax
IRP	Initial Resettlement Plan
IRPS	Individual Income Tax
ISO	International Organization for Standardisation
ITCZ	Intertropical Convergence Zone
ITN	Insecticide-treated net
IUCN	International Union for Conservation of Nature
IWANQ	Mozambique Water Quality Standards
JAM	Joint Aid Management
K	Potassium
Ka	Katspruit soil type
Kd	Kroonstad soil type
KII	Key informant interview
KPI	Key Performance Indicator
L&FS	Life and Fire Safety
LAT	Lowest Astronomical Tide
LC	Least Concern
LCV	Light Construction Vessel
LEMO	League of Scouts of Mozambique
LF	Low flow
Li	Lithium
LIA	Late Iron Age
LNG	Liquefied Natural Gas
Lo	Kroonstad soil type
LOLE	Lei dos Órgãos Locais do Estado (Law for Local State Bodies)
LP	Liquefied petroleum
LULUCF	Land use, land use change and forestry
LZ	Lower Zone
MARPOL 73/78	International Convention for the Protection of Pollution from Ships
MBREMP	Mnazi Bay-Rovuma Estuary Marine Park
MC	Mozambique Current
MCA	Millennium Challenge Account
MCE	Mozambique Channel Eddies
MDEA	Methyldiethanolamine
MdP	Mocímboa da Praia
MEG	Monoethylene glycol
Mg	magnesium
MHWN	Mean High Water Neap
MHWS	Mean High Water Spring

MICOA	Ministério para a Coordenação da Acção Ambiental (Ministry for the Coordination of Environmental Affairs)
MINAG	Ministério da Agricultura (Ministry of Agriculture)
MIRAI	Macro-invertebrate Response Index
MIREM	Ministério dos Recursos Minerais (Ministry of Mineral Resources)
MISAU	Ministério da Saúde (Ministry of Health)
MITUR	Ministério do Turismo (Ministry of Tourism)
MLWN	Mean Low Water Neap
MLWS	Mean Low Water Spring
MMO	Marine mammal observer
Mn	Manganese
Mo	Molybdenum
MOF	Material Offloading Facility
MPA	Marine Protected Area
MPD	Multipurpose Dock
MPescas	Ministério das Pescas (Ministry of Fishing)
MR	Mixed refrigeration
MSI	Metoccean Services International (Pty) Ltd
MSL	Mean sea level
MZ	Marginal Zone
Na	Sodium
NABM	Non-aqueous based muds
NaCl	Sodium chloride
NADW	North Atlantic Deep Water
Nb	Namib soil type
NCD	Non-communicable disease
NCEP	National Centre for Environmental Predictions
NEMC	North East Madagascar Current
NEMBA	National Environmental Management: Biodiversity Act (No. 20 of 2004)
NFB	Near-field site
NGO	Non-governmental organisation
NH ₄	Ammonium
Ni	Nickel
NIDW	North Indian Deep Water
NMCP	National Malaria Control Programme
NOAA	National Oceanic and Atmospheric Administration
NO ₂	Nitrogen dioxide
NO ₃	Nitrate
NO _x	Nitrogen oxides
NORM	Naturally occurring radioactive materials
NSR	Noise sensitive receptor
NT	Near Threatened
NTS	Non-technical Summary
NTU	Nephelometric Turbidity Unit
NW	North-west
OBM	oil-based muds
OGP	International Oil and Gas Producers Association
OILPOL	International Convention for the Prevention of Pollution of the Sea by Oil
OPRC	Oil Pollution Preparedness, Response and Cooperation Convention
OSCP	Oil Spill Contingency Plan
P	Phosphorus
PAC	Potentially affected communities
PAH	Polyaromatic hydrocarbon
PARP	Poverty Reduction Action Plan
PATI	Priority area for tourism investment
Pb	Lead
PC	Project Contribution
PCMRB	Petronas Carigali Mozambique Rovuma Basin
PCSW	Potentially contaminated surface water
PEC	Predicted Environmental Concentration

PES	Present ecological state
PESPA	Plano Estratégico do Subsector da Pesca Artesanal (Strategic Plan for the Artisanal Fisheries Subsector)
PGU	Power Generation Unit
PICT	Provider initiated counselling and testing
Pig	Pipeline integrity gauge
PIIM	Project Induced In-Migration
PLET	Pipeline End Termination Structure
PLONAR	Pose Little or No Risk to the Environment
PM	Particulate matter
PM10	Particulate matter < 10µm
PMT	Total Particulate Matter
PMTCT	Prevention of mother-to-child transmission
PMW	Palma West Site
PNA	National Water Policy
POM	Particulate organic matter
PPE	Personal protective equipment
PR	Propane Refrigeration
PSU	Practical salinity units
PTS	Permanent Threshold Shift
PTV	Pollution-tolerant valves
PTW	Permit to work
PPR	Public Participation Report
RAP	Resettlement Action Plan
RDT	Rapid diagnostic test
RHIA	Rapid Health Impact Assessment
RHMIS	Routine Health Information Management System
RO	Reverse osmosis
ROV	Remotely operated vehicle
RPF	Resettlement Policy Framework
RTA	Road traffic accident
SADC	Southern African Development Community
SAMSA	South African Maritime Safety Authority
SAR	IMO International Convention on Search and Rescue
SASS5	South African Scoring System, version 5
SAWQG	South African Water Quality Guidelines
Sb	Antimony
SBM	Synthetic-based muds
SCS (Method)	Storage Conservation Service (Method)
SDoH	Social determinants of health
Se	Selenium
SE	South-east
SEC	South Equatorial Current
SEL	Sound exposure level
SEMC	South East Madagascar Current
SEP	Stakeholder Engagement Plan
SES	Simplified Environmental Study
SI	Surface irradiance
SMA	Soil Moisture Accounting
SMR	Single Mixed Refrigerant
Sn	Tin
SO ₂	Sulphur dioxide
SO ₄	Sulphate
SOLAS 74	International Convention for the Safety of Life at Sea
SPI	Specific Pollution Sensitivity Index
SPS	Subsea Production System
Sr	Strontium
SS	Suspended solids
SSS	Side Scan Sonar

STCW	IMO International Convention on Standards of Training, Certification and Watch keeping for Seafarers
STH	Soil-transmitted helminth
STI	Sexually transmitted infection
Subt SIOW	Indian Ocean Subtropical Surface Water
S-Unit	Sand unit
TB	Tuberculosis
Tc	Travel time
TCN	Third country national
TDS	Total Dissolved Solids
TH	Traditional healer
ToR	Terms of Reference
TS	temperature/salinity
TSHD	Trailer Suction Hopper Dredger
TSS	Total Suspended Solids
TTS	Temporary Threshold Shift
TWC	Temporary workers camp
TWQR	Target Water Quality Range
U	Uranium
UEM	Universidade Eduardo Mondlane (Eduardo Mondlane University)
UN	United Nations
UNCLOS	UN Law of the Sea Convention
UNEP	United Nations Environment Programme
UNESCO	United Nations Educational, Scientific and Cultural Organization
UNFCCC	United Nations Framework Convention on Climate Change
UNWQG	United Nations Water Quality Guidelines
US	United States of America
USAID	United States Agency for International Development
USEPA	United States Environmental Protection Agency
UV	Ultraviolet
UWS	Underwater Surveys
UXO	Unexploded Ordinance
UZ	Upper Zone
V	Vanadium
VAT	Value added tax
VEGRAI	Vegetation Response Assessment Index
VOC	Volatile Organic Compounds
VU	Vulnerable
WaMP	Water Management Plan
WB	World Bank
WBM	Water-based muds
WHO	World Health Organization
WIO	West Indian Ocean
WIOLAB	West Indian Ocean Land Based
WMP	Waste Management Plan
WMS	Watershed Modelling System
WQ	Water quality
W-Unit	Wetland unit
WWF	Worldwide Fund for Nature
Zn	Zinc
ZSL	Zoological Society of London
ZTV	Zone of Theoretical Visibility

GLOSSARY

Afungi Project Site	The location on Afungi Peninsula where the LNG Facility and associated infrastructure (roads, airstrip, accommodation, etc) will be located. This is the area where the Project has acquired the rights to use the land.
Afungi Project Site and Surrounds	This refers to Afungi Project Site and the areas around the Afungi Project Site where people's access to livelihood assets will be affected.
Afungi Site Improvement activities	The Site Improvement activities are intended to upgrade existing infrastructure and make minor preparations to facilitate the construction phase, should the Project be approved.
Alternative	Alternatives can refer to any of the following, but are not limited to: alternative sites for development, alternative projects for a particular site, alternative site layouts, alternative designs, alternative processes and alternative materials.
Anthropogenic	Caused by humans.
Aquifer	Fresh water (usually) held in underground layers of water-bearing permeable rock or unconsolidated sediments (gravels/sand/silt).
Arable	Land that can be cultivated for growing crops.
Area 1	Area 1 is the area licensed to AMA1 by the Ministry of Energy and Mineral Resources for the exploration and development of hydrocarbons.
Area 1 Gas Fields	The offshore AMA1 gas fields, namely Golfinho and Prosperidade, found in Area 1.
Area 4	Area 4 is the area licensed to eni by the Ministry of Energy and Mineral Resources for the exploration and development of hydrocarbons.
Area 4 Gas Fields	The offshore eni gas field covered in the EIA, namely Mamba, found in Area 4.
Area of Direct Influence (ADI)	<p>The ADI comprises the areas offshore, near shore and onshore where the Project infrastructure will be located, ie the direct Project Footprint. The ADI comprises two broadly defined areas of interest:</p> <ul style="list-style-type: none"> • Offshore Project Footprint Area; and • Afungi Project Site and Surrounds.
Area of Indirect Influence (AII)	<p>The AII refers to areas where the Project Footprint has an indirect influence, and comprises:</p> <ul style="list-style-type: none"> • Palma Bay and offshore deepwater in the vicinity of the production areas; • Palma Town and villages or settlements outside the Afungi Project Site that are indirectly impacted; • the islands at the mouth of Palma Bay: Tecomaji, Rongui and Queramimbi islands, and possibly islands further south along the coast eg Vamizi Island; and • the broader district, province and potentially region can also be included in the AII from a socio-economic perspective. Similarly, the AII potentially extends to a national level, as the Project may have benefits at a national scale.
Avifauna	Birds.
<i>Bairros</i>	Neighbourhoods.
Baseline	The current physical, biological, cultural and human conditions that will prevail in the absence of the Project, including interactions among them.
Bathymetry	Underwater depths. Bathymetry maps show underwater depths at various locations.
Benthic zone	The ecological region at the base of the water column, including sediment surface and very shallow subsurface sediment layers.

Benthos	Species living in or on ocean, sea, lake beds and/or river bottoms.
Berthing Area	The area of the Near Shore infrastructure where LNG Carriers will berth.
Biodiversity	The variability among living organisms – animals, plants, their habitats – from all sources including terrestrial, marine and other aquatic ecosystems, and the ecological complexes of which they are part. This includes diversity within species, between species, and of ecosystems.
Biomass	The total mass of living matter within a given unit of environmental area.
Biome	Major ecological community, a division of the world's vegetation that corresponds to a particular climate and is characterised by certain types of plants and animals.
Biota	The animal and plant life of a given region.
Biotope	An area of uniform environmental conditions providing a living place for a specific assemblage of plants and animals. Biotope is almost synonymous with the term habitat, but while the subject of a habitat is a species or a population, the subject of a biotope is an interdependent biological community.
Bioturbation	The displacement and mixing of sediment particles by fauna or flora.
Brine	Concentrated salt water from the Desalination Plant.
Bund	Containment wall to capture spills before loss to the environment.
Carbon dioxide equivalent	A metric measure used to compare the emissions from various greenhouse gases based upon their global warming potential (GWP).
Casing	A process carried out to isolate portions of a well so as to protect the aquifers of groundwater, as well as to provide a support structure to the well itself.
Catchment	An area from which surface run-off is carried away by a single drainage system.
Cetacea	Order of marine mammals containing dolphins, whales and porpoises.
Chemical inhibitors	A substance used to retard a chemical reaction.
Chlorophyll	Green pigment in algae and plants essential for photosynthesis.
Clean surface run-off	Run-off from areas deemed not at risk to oil or chemical contamination. Clean surface run-off will be allowed to discharge to the surrounding environment.
Condensate	Hydrocarbon liquid that condenses from natural gas when the pressure drops below dewpoint.
Coral bommies	A coral bommie (from 'bombora' – an Aboriginal word meaning outcrop or mountain or reef) is either an outcrop of coral reef, often resembling a column that is higher than the surrounding platform of reef, or an isolated piece of reef on sand.
Coral fringing reef	Coral reef on outside of shores or islands.
Coral rubble	Unconsolidated fragments of broken dead coral.
Corals	Marine invertebrates in the class Anthozoa of the phylum Cnidaria, typically living in compact colonies of many identical individual polyps. The group includes the important reef builders that inhabit tropical oceans, which secrete CaCO ₃ to form a hard skeleton.
Crustaceans	Arthropods such as crabs and prawns that have joined appendages and hard outer shells.
Culvert	A man-made structure used to channel water.
Cumulative impacts	Impacts that result from the incremental impact of the proposed activity on areas or common resources used or directly impacted by the Project, from other existing, planned or reasonably defined developments at the time the risks and impacts identification process is conducted when added to the impacts of other past, present or reasonably foreseeable future activities. Cumulative impacts can occur from the collective impacts of individual minor actions over a period of time, and can include both direct and indirect impacts.
Cuttings	Debris (pieces of sand, gravel and rock) that are brought to the surface from the well during drilling.

<i>Dambos</i>	<i>Dambos</i> are depressions within wetland systems where water levels are not dependent on surface rainfall run-off, but rather water welling up from below. <i>Dambos</i> are also found at higher elevations outside wetland systems and are presumably fed from arterial springs, and retain water for longer periods during the dry season.
Demersal	The part of the water column that is near to the seabed and the benthos. Demersal fish are those that spend the majority of their life cycle on or near to the seabed.
Demersal zone	That part of the sea or ocean or deep lake comprising the lower water column that is near to and affected by the sea/lake bed and benthos.
Dewatering	Removal of water from.
Dhows	A lateen-rigged ship with one or two masts, used in the Indian Ocean.
Diatoms	A single-celled algae that has a cell wall of silica.
Direct impacts	Impacts that result from a direct interaction between a planned Project activity and the receiving environment/receptors (eg between occupation of a site and the pre-existing habitats, or between an effluent discharge and receiving water quality). These impacts are usually associated with the construction, operation or maintenance of an activity, and are generally obvious and quantifiable.
Domestic cabotage	Transport between two points within a country.
Drilling fluids (drilling muds)	These are used to control subsurface pressures, lubricate the drill bit, stabilise the well bore and carry the cuttings to the surface.
DUAT process	The DUAT or <i>direito de uso e aproveitamento da terra</i> process refers to the process of obtaining right of use of land in Mozambique.
Dynamically positioned	The location or position of the vessel is maintained by the vessel's specialised propulsion/station-keeping system.
Early works	These works will involve site preparation activities and will expand on the activities started in the Afungi Site Improvement phase, and are anticipated to begin following MICOA approval of this EIA.
Ecosystem	A community of plants, animals and smaller organisms that live, feed, reproduce and interact in the same area or environment.
Ecosystem services	The benefits people obtain from ecosystems.
EIA Pre-assessment Application Phase (Screening)	This phase involves submitting a Pre-assessment Application to the Provincial Directorate of Environmental Affairs (Direcção Provincial de Coordenação de Acção Ambiental or DPCA), which then categorises the Project based on the level of environmental assessment required.
Emergency Response Plan	Plan to address contingencies associated with process upset and accidental circumstances.
Endemic	Restricted to a particular area. Used to describe a species or organism that is confined to a particular geographical region.
Engineering Team	The Project's Engineering Team (involves FEED Contractors involved in the design of the Project).
Environment	The surroundings within which humans exist, and that are made up of: <ul style="list-style-type: none"> (i) the land, water and atmosphere of the earth; (ii) micro-organisms, plant and animal life; (iii) any part or combination of (i) and (ii) and the inter-relationships among and between them; and (iv) the physical, chemical, aesthetic and cultural properties and conditions of the foregoing that influence human health and well-being. This includes the economic, social, cultural, historical and political circumstances, conditions and objects that affect the existence and development of an individual, organism or group.
Environmental and Social Management Plan (ESMP)	A set of actions and measures to be carried out by the proponent, in order to manage the negative impacts and maximise the positive impacts resulting from the implementation of the proposed activity, prepared under the scope of the EIA.

Environmental Impact Assessment	The process of predicting and evaluating the social and environmental impacts and risks of a proposed Project, and identifying mitigation measures that will enable the Project to meet the requirements of stakeholders, applicable laws and regulations, and any additional requirements for social or environmental performance identified by the Project, and so that impacts are as low as technically and financially feasible.
Environmental management	Ensuring that environmental concerns are included in all stages of development, so that development is sustainable and does not exceed the carrying capacity of the environment.
Epifauna	Animals that live on the surface of the substrata.
Estuaries	A partly enclosed body of water that has one or more rivers flowing into it and is connected to the open sea. Estuaries thus receive fresh water from inland and salt water from the sea. Tides influence how much (and how far) salt water intrudes into the estuary and river.
Estudo de Pré-Viabilidade Ambiental e Definição de Âmbito (EPDA) phase or scoping phase	The scoping phase or EPDA phase, as it is known in Mozambique, aims to identify key issues and concerns associated with the proposed development. These could include Project-related activities that may have the potential to contribute to or cause potentially significant impacts to environmental and socio-economic receptors and resources in the area.
Exclusion Zone	Area from which vessels are prohibited from entering.
Exclusive Economic Zone (EEZ)	A concept adopted at the Third United Nations Conference on the Law of the Sea (1982), whereby a coastal State assumes jurisdiction over the exploration and exploitation of marine resources in its adjacent section of the continental shelf, taken to be a band extending 200 miles from the shore.
Fauna	Collectively, the animal life of a region.
Fishing Centres	Settlements of fishers, where fishers and fish traders live on a permanent or seasonal basis.
Flaring	The safe burning of excess unwanted gases.
Flora	Collectively, the plant life of a region.
Formation or produced water	Water trapped in the gas and rocks that is brought to the surface during operations.
Front-end Engineering Design (FEED)	The design phase of the Project.
Fugitive emissions	The unintended escape of greenhouse gas emissions.
Gender diglossia	A situation in which two different languages are used by men and women within a community.
Greenhouse gases (GHG)	Unless indicated otherwise, GHG emissions are made up of CO ₂ , CH ₄ , N ₂ O, HFCs, PFCs and SF ₆ .
Habitat	An ecological or environmental area that is inhabited by a particular species of animal, plant or other type of organism. It is the natural environment in which an organism lives, or the physical environment that surrounds (influences and is used by) a species population.
Hazardous waste	Substances classified as hazardous wastes possess at least one of four characteristics of signitability, corrosivity, reactivity or toxicity – or appear on special lists.
Herpetofauna	Amphibians and reptiles.
Hydrocarbons	Compounds that contain only hydrogen and carbon molecules. Petroleum-based products such as LNG and condensate contain hydrocarbons.
Hydrotesting	The filling of equipment or pipelines with water to test for any losses of pressure through leaks.
Ichthyofauna	Fish.
Impact	Any alteration of existing conditions, adverse or beneficial, caused directly or indirectly by the Project.

Indirect impacts	Impacts that result from other activities that are encouraged to happen as a consequence of the Project (eg in-migration for employment placing a demand on resources). Indirect impacts can also be referred to as induced or secondary impacts. These types of impacts include all of the potential impacts that do not manifest immediately when the activity is undertaken or which occur at a different place as a result of the activity.
Infauna	Animals that live in sediment.
Infectious disease	Illnesses that are attributable to specific infectious agents or their toxic products that arise through the transmission of these agents or their products from an infected person, animal or inanimate reservoir to a susceptible host. Examples include water-borne, water-related, food-borne, respiratory and sexually transmitted diseases.
Initial Resettlement Plan	Establishes the principles, approach and procedures that will be followed in planning resettlement and awarding compensation to people who are physically or economically displaced by a project. The IRP provides the framework for the future development of a full Resettlement Action Plan (RAP).
Interested and Affected Parties (I&APs)	Individuals, communities or groups, other than the proponent or the authorities, whose interests may be positively or negatively affected by the proposal or activity and/or who are concerned with a proposal or activity and its consequences.
Intertidal zone	The area of the shore that is above water at low tide and under water at high tide.
Intertropical Convergence Zone (ITCZ)	An area of low pressure that forms where the Northeast Trade Winds meet the Southeast Trade Winds near the equator. As these winds converge, moist air is forced upward, causing water vapour to condense and cool, resulting in heavy precipitation.
Invasive or alien species	Species introduced outside its normal distribution. Its establishment and spread modifies ecosystems, habitats or species. Aliens are called invasive when they spread rapidly and outcompete indigenous species.
Invertebrates	Species lacking a spinal column (eg crabs).
IUCN Red List	Also known as the IUCN Red Data List, this is the world's most comprehensive inventory of the global conservation status of biological species. Taxa are classified according to formal ranking systems assessing relative risks of extinction.
Keystone species	A species that has a disproportionate effect on its environment relative to its abundance, and which plays a critical role in maintaining the structure of an ecological community/biotope.
Land capability	A combination of terrain form, soil types, thickness and slope gradients in association with broad agricultural potential define the land capability of an area.
Land cover	The physical coverage of land, usually expressed in terms of vegetation cover or lack of it.
Landscape	A geographical mosaic composed of interacting ecosystems resulting from the influence of geological, topographical, soil, climatic, biotic and human interactions in a given area.
Liquefaction	The process by which natural gas is cooled to condense it to a liquid.
Liquefied Natural Gas (LNG)	A natural gas (predominantly methane, CH ₄) that has been converted to liquid form for ease of storage or transport.
Littoral zone	That part of the sea that extends from the high water mark to the edge of the continental shelf (commonly defined as the 200m isobath).
LNG Export Jetty	The jetty infrastructure where LNG Carriers will berth to load LNG for export.
LNG Facility	The processing facility where natural gas will be liquefied, and associated facilities.
LNG Train	The LNG Plant's liquefaction and purification facilities.
<i>Machambas</i>	Small-scale farms (fragmented cultivated lands).
Macroalgae	Seaweeds including red, brown and green algae.
Mangrove	Kinds of trees up to medium height, and shrubs, which grow in saline coastal sediment habitats in the tropics and subtropics.

Marine ornamental fish	Small fish in families commonly used in marine aquaria, including Chaetodontidae, Labridae, Zanclidae, Acanthuridae, Serranidae, Pseudochromidae, Pomacentridae, etc.
Materials Offloading Facility (MOF)	The service port and transit point of equipment and materials used during the construction and operation phase of the Project.
Mesopelagic	The part of the pelagic zone that extends from a depth of 200 to 1,000m below the sea's surface.
Metocean	The combined study of meteorology and oceanography.
Microalgae	Microscopic single-celled algae in fresh, brackish (estuarine) and marine waters. Pelagic species comprise phytoplankton, while those on sediments are benthic microalgae.
Mitigate	The implementation of practical measures to reduce adverse impacts or enhance beneficial impacts of an action.
Mitigation measure	A feature, procedure or other action that the Project commits to implement to avoid or reduce the magnitude of an adverse impact, or to enhance the magnitude of a positive impact.
Monoethylene glycol (MEG)	A colourless, virtually odourless and slightly viscous liquid used to inhibit the formation of hydrates or condensate by altering the freezing point of the water found in raw natural gas.
Multipurpose Dock (MPD)	Marine structure comprising the MOF, the Subsea Construction Area (SSCA) and Marine Service Facility (MSF).
Nautical mile	A measurement of distance at sea equal to 1,852m.
Near Shore environment	The waters westward of Mozambique's Maritime Baseline.
Near Shore Project	The proposed marine infrastructure within Palma Bay necessary for construction, operation and maintenance of the Project. This includes logistic, support and export facilities (eg shipping channels, MOF and LNG Export Jetty).
No-go alternative	The no-go alternative is the option of not undertaking the proposed activity or any of its alternatives. This alternative also provides the baseline against which the impacts of other alternatives should be compared.
Offshore environment	The area beyond Mozambique's Maritime Baseline.
Offshore Project components	The proposed offshore production wells and the infrastructure necessary to develop the gas reserves. This includes the offshore pipeline system that will convey natural gas from the offshore production field to the onshore facilities.
Offshore Project Footprint Area	The areas in the offshore and near shore environment that may reasonably be expected to be physically touched by Project infrastructure, across all phases.
Oligotrophic	Low nutrient conditions.
Onshore environment	The terrestrial environment.
Onshore Project	The proposed onshore LNG facilities and supporting infrastructure (eg worker accommodation facilities, construction areas, access roads and airstrip).
Onshore Project Footprint Area	The area onshore that may reasonably be expected to be physically touched by Project infrastructure, across all phases.
Operational phase	The period of the Project's life when gas will be extracted, processed and exported.
Oxygen scavengers	Used to reduce the oxygen content in air or water to slow the process of corrosion.
Particulate matter	Fine particles of solid matter.
Pelagic	The part of the water column in the open sea that is not closely associated with the seabed.
Pelagic zone	Water body in oceans, seas or lakes that is not close to the bottom or shore, ie the water column extending from the surface to near the seabed.

Pioneer Dock	A Pioneer Dock will be established to allow the import of heavy equipment and materials to the site via sea.
Pipeline integrity gauge (PIG)	A cylindrical device inserted into a pipeline to inspect the pipe or to sweep the pipe clean of water, rust or other foreign matter.
Plankton	Microscopic animals (zooplankton) or plants (phytoplankton) that inhabit the pelagic zone of water bodies.
Potsherd	A broken piece of ceramic material, especially one found on an archaeological site.
Production zones	Agricultural areas.
Project activities	Activities that are planned as part of the Project, including all phases. This excludes unplanned events.
Protected areas	An area of land and/or sea especially dedicated to the protection of biological diversity, and of natural and associated cultural resources, and managed through legal or other effective means.
Public consultation	Term used when referring to the activity of consulting with stakeholders or I&APs.
Public participation process	Term used when referring to the regulatory-driven stakeholder or I&AP engagement process.
Receptor	Humans and other animals that can be impacted by Project activities.
Regional cabotage	Transport in coastal waters.
Resettlement Policy Framework	Establishes the principles and procedures that will be followed in planning resettlement and awarding compensation to people who are physically or economically displaced by a project, including the process by which people can raise a grievance if they consider that have been adversely affected or unfairly treated.
Residual impact	Impacts that remain after mitigation measures, including those incorporated into the Project's design, have been applied.
Resource	An element of the physical, biological, cultural or human environment that is not a human or other animal (these are referred to as receptors), which can be impacted by the Project activities.
Revised Onshore Project Footprint Area	Following input from various specialists on the sensitivities (biophysical and socio-economic) of the Afungi Project Site, a revised site area was determined, known as the 'Revised Onshore Project Footprint Area'. This revised layout was considered in the assessment of the residual impact, as the change in layout is considered as a mitigation measure.
Salinity	The dissolved salt content in sea water.
Seagrass	Flowering rooted plants (angiosperms) from one of four plant families all in the order <i>Alismatales</i> (in the class of monocotyledons), which grow in marine, fully saline environments.
Seascape Unit (S-Unit)	Coastal landscape and adjoining areas of open water, including views from land to sea, from sea to land and along the coastline. Every S-Unit has three components: an area of sea (the seaward component), a length of coastline (the coastline component), and an area of land (the landward component).
Significance	An impact is significant if, in isolation or in combination with other impacts, it should be taken into account in the decision-making process. The degree of significance depends on the combination of impact magnitude and probability of impact occurrence.
Site selection process	A study that was undertaken to determine the preferred site for the onshore LNG Facilities. This included looking at a number of locations throughout Cabo Delgado Province from an environmental, social and engineering perspective.
Slug catcher	Liquids and gas do not form a homogeneous mixture as they flow through the pipeline. Liquids tend to pool in low areas of the pipeline until a sufficient volume accumulates to impede the flow of gases. Once this occurs, pressure is built up behind the liquid and the liquid is pushed through the pipeline. This phenomenon is referred to as 'slug flow'. A slug catcher is a device that receives the 'slugs' of liquid that accumulate over time and are pushed through the pipeline intermittently.

Sound exposure level	The total noise energy delivered over a measured duration averaged over one second.
Specialist studies	The technical studies undertaken by specialists for the purpose of the EIA (eg marine ecology, socio-economics, etc).
Stakeholder engagement	The process of engagement between stakeholders (the proponent, authorities and I&APs) during the planning, assessment, implementation and/or management of proposals or activities.
Stakeholders	See interested and affected parties (I&APs) above.
Study Area	The entire area under baseline investigation, where impacts may occur as a result of the Project. This may differ between specialist studies and may include areas outside the Afungi Project Site. For example, the Study Area for the landscape and seascape visual study includes a radius of 30km from the centre of the Afungi Project Site, as it is considered that the LNG Facility may be visible at such a distance. The Study Area comprises the ADI and AII.
Subtidal zone	The area below low tide that is almost always submerged.
Supratidal zone	The area above the high tide water line that extends upland. The area is seldom covered by water unless during flooding or storms, but can receive water from wave splash.
Surficial	The layer at the top of the sediment body, usually millimetres to centimetres thick.
Survey Area	The area over which physical surveys take place as part of the collection of primary baseline data. As in the case of Study Area, this is defined for each relevant resource/receptor and will differ for each specialist study, but these are typically confined to the Afungi Project Site or ADI.
The Project	The proposed LNG Project.
Thermocline	A layer of rapid temperature change in the water column.
Total suspended solids (TSS)	A measure of water quality that investigates the level of suspended solids in mg/l (turbidity).
Tungi Bay	Old name for Palma Bay.
Turbidity	The measure of the degree to which water losses transparency, due to the presence of suspended particles.
Unexploded ordnance (UXO)	Unexploded ordnances are explosive weapons (bombs, bullets, shells, grenades, landmines, naval mines, etc.) that did not explode when they were employed and still pose a risk of detonation, potentially many decades after they were used or discarded.
Unplanned event	A reasonably foreseeable event that is not planned to occur as part of the Project, but which may conceivably occur as a result of Project activities (eg accidents), even with a low probability.
Well	The hole drilled to obtain the gas.
Well blowout	A well blowout is an uncontrolled flow of reservoir fluids into the well bore and sometimes to the surface.
Wellhead	The topmost point of a well and the structure built over it.